
No excuse for ugly ... or is there?



uglier ugliest

1 : FRIGHTFUL, DIRE

2 a: offensive to the sight: HIDEOUS

b: offensive or unpleasant to any sense

3 : morally offensive or objectionable <corruption—the ugliest stain of all>

Visual preference survey















...to protect the public investment in such highways, to promote the safety and recreational value of public travel, and to preserve natural beauty. 23 U.S. Code § 131









Florida's beauty is Florida's source of tourism and growth that are, in turn, the engines of our sales tax based economy.


Florida Governor Charlie Crist, January 28, 2009 Tallahassee Democrat, editorial, page 2B





Center for Environmental Excellence by AASHTO


One Stop Source of Environmental Information for Transportation Professionals




Qualities of Excellence in Transportation Design:

...In harmony with the community, and it preserves environmental, scenic, aesthetic, historic and natural resource values of the area, i.e., exhibits context sensitive design.







Preservation of Prehistoric and Historic Archaeological Sites

Recognition of Special Viewsheds and Scenic Character

Preservation of **Historic Landscapes**


Respect of Rivers, Streams, and Natural Drainage Ways

Recognition of **Edges, Fence Lines, Tree Lines**

Respect for **Historic Road Traces**

Recognition of Distant Vistas, Mountains, Rivers, Oceans, Lakes, and Horizons

Preservation of Natural Land Forms











Coordination with Utilities

Planning for Future Roads

Considerations of Adjacent Land Use

Preservation of Farm Lands

Preservation of **Context of Communities**

Highway Location To Provide Views

Avoidance of Wetlands

Flexibility in Highway Design

THE

ANALYSIS


OF

BEAUTY.

Written with a view of fixing the fluctuating Ideas of TASTE.

BY WILLIAM HOGARTH.


So vary'd be, and of his tortuous train
Curl'd many a vanton wreath, in fight of Ewe,
To lure her eye.----- Milton.





LONDON:


Printed by J. REEVES for the AUTHOR,
And Sold by him at his House in Leicester-fields.

MDCCLIII.












 $Figure\ 10.\ Engineering\ drawing\ of\ Section\ 1Q\ shows\ in\ phase\ horizontal\ alignment\ (top)\ with\ vertical\ alignment\ (bottom).\ NPS-BRP\ Archives,\ Asheville,\ NC.$




























































Martin Grade, Martin County















"In bridge aesthetics the designer is dealing with the basic structure itself; not with enhancement, additions or other superficial touches. The EOR is expected to be well read on the subject of bridge aesthetics and committed to fulfilling both the structural and aesthetic needs of the site."

...the designer should be sensitive to how the highway will be perceived by the users. Designing aesthetic treatments is more than just providing for landscape plantings. The roadway should blend into the landscape, avoiding large cuts and fills, and round side slopes into the existing terrain.

Horizontal and vertical alignment should be coordinated so that a driver has an opportunity to gain a sense of the local environment. Combinations of horizontal and crest vertical curves, and broken-back curves should be avoided. Excessively long tangent sections become monotonous. Either curvature or other features should be added to maintain drivers' interest.

The designer should be **sensitive** to how the highway will be perceived by the users...

Are our designers up to the challenge?


The designer should be sensitive to how the highway will be perceived by the users...

Topic #625-000-007 Plans Preparation Manual, Volume 1

January 1, 2016

Chapter 1

Design Controls














8A-H994











1965 AASHO Operating Committee on Roadside Development

















Orlando Sentinel



LOG

WEDNESDAY MAY 25, 2016

BUSINESS CLASSIFIED OBITUARIES







may 5 - july 5

STAY LONGER. CREATE NEW SUMMER TRADITIONS.





And Central Florida's ugliest roads are ...

- Lighting and lighting fixtures
- Barren medians
- **Ditches**
- Rusty signs
- Old street signs and signals
- Sidewalks
- Grass... weeds
- **Trees**
- More walkable and attract more private






STAY LONGER.

CREATE NEW SUMMER TRADITIONS.




- Costs too much
- Takes too much time
 Didn't know about it soon enough Permit does not say anything about it
- Need more right of way
- Never done it that way
- Not in the scope
- No hours in the contract
- No pay item for that

- Prohibited by the standards
- No one said anything
- We thought it was what you wanted
- Not many people will see it
- Don't need it
- Not important









Drainage Manual, Effective January 2015 page 53

- Subsection 5.4.4.2 Detention and Retention Pondsconsistent with the Highway Beautification Policy ... integrated with existing and proposed landscaping, and adjoining land uses.
 - ...aesthetic improvements shall be designed by an interdisciplinary team consisting of the Landscape Architect, Drainage Engineer, and local maintenance office.
 - ... aesthetics design approach shall be developed early enough ... to be included in the determination of pond right-of-way acquisition needs.



























Washington introduced a three quarter mile long vista across a rolling, green meadow to the mansion. Immediately after the impressive view, the drive diverged along a winding course through the woodlands and along the productive farm fields of the estate before returning to the formal axis at the mansion grounds. The visitor was provided a glimpse of the destination, and then treated to a pleasant (but relatively direct) scenic drive to admire the beauty of the landscape.

4 Green House 5 Gardners Houses MARRIOL

THE HOME OF WASHINGTON

10 Lawn in Rear 11 Vegetable Gante

Flower Garden.
Flank Walk to La

A Outhand









- Costs too much
- Takes too much time
 Didn't know about it soon enough Permit does not say anything about it
- Need more right of way
- Never done it that way
- Not in the scope
- No hours in the contract
- No pay item for that

- Prohibited by the standards
- No one said anything
- We thought it was what you wanted
- Not many people will see it
- Don't need it
- Not important

Please relocate the "shared duct bank" to an area where trees cannot be planted. In its current position, it eliminates any planting space for large trees.

Response: The location of the shared duct bank is in an agreed upon location where it is away from any future roadway improvement.

Preferences are to have no 2:1 slopes in the R/W. These typical sections indicate steep slopes at the base of MSE walls where it seems that existing grade is suitable without additional sloped fill.

Response: Flatter (i.e. 1:3) slopes are not viable as 5`-wide flat bottom ditches that provide sufficient base clearance are required.

Recommend the use of black vinyl coated fencing where it will be visible from the mainline or adjacent to developed property.

Response: Upgrading the fence to black vinyl coated is not budgeted.

In order to comply with Department Policy, please describe the method for preserving trees or the method of mitigation proposed for the removal of trees along the corridor.

Response: All trees within the clearing and grubbing limits will be removed. The organization is planning on planting some trees on high embankment slopes as a means of mitigation.

Confirm that the ITS and other utilities on the project will be designed in such a manner that green space is preserved so large trees can be planted. This may result in the utilities being placed on the south side and/or underground utilities placed in the roadway's clear

Response: Per agreement, no utilities will be placed on the south side of the corridor. The shared duct bank has been agreed to be placed on the north slope of the corridor away from any future roadway widening on the high embankment area. At that point, some trees will be planted.